



ADDENDUM No. 1

2016 BLUE ST IMPROVEMENT PROJECT PWE NO. TBD9015

Addendum No. 1 to the Plans, Specifications and Contract Documents is hereby submitted via email and/or facsimile for use in bid preparations and submittal.

The following changes, additions, and/or deletions are hereby made a part of the **2016 BLUE ST IMPROVEMENT PROJECT**, dated March 3, 2016 as fully and completely as if the same were entirely set forth in the Plans, Specifications, and Contract Documents. Changes and additions are noted in ***bold italics***, and deletions are noted in ~~strike through~~.

| |
|-------------------------|
| BIDDERS'S PACKET |
|-------------------------|

Proposal

One bid item, ***ITEM NO. 45, Blowoff Assembly, per each***, has been added to the proposal.

The quantity for ***ITEM NO. 47, Shoring and Trench Safety, per LF***, has been increased from 560 LF to ***689 LF***.

The attached Addendum No. 1 Proposal has been modified as described above. Use this new Proposal when submitting your bid. Any bid not including these new sheets will be rejected as non-responsive.

| |
|---------------------------|
| SPECIAL PROVISIONS |
|---------------------------|

7-05.4 Measurement

Section 7-05.4 is supplemented with the following:

(*****)

“Drywell Envelope” shall be measured per each. Two drywell envelopes are shown on the plans. The drywell envelope on the south side of Evergreen St shall be 8’x17’ and 8’ deep. The drywell envelope on the north side of Evergreen St shall be 8’x24’ and 8’ deep.

7-05.5 Payment

Section 7-05.5 is supplemented with the following:

(*****)

Payment for **“Drywell Envelope”** shall be full compensation for furnishing all labor, equipment, materials and all other incidentals to excavate the drywell envelope, install fabric, connect



~~underdrain-perforated pipe to catch basin structures, install underdrain-perforated pipe, install rock envelope, wrap fabric, and backfill. See plans from material specifications.~~

Payment for **“Connect to Existing Manhole”** shall be made per each and include all work, equipment, and materials necessary to complete the required work including core drilling manhole, purchasing and installing a sand collar, re-channeling existing manhole base, and all other work to accomplish a complete connection into the existing manhole. When connecting to existing sewer manholes, excavate around the structure down to the base and barrel seam. All seams and pick holes shall be wrapped with ‘Bestseal Wrap’ mastic or approved equal to prevent groundwater infiltration.

7-09.3(19)A Connections to Existing Mains

Section 7-09.3(19)A is supplemented with the following:

(*****)

The connection of existing water mains shall be made on a clean, strong existing pipe. Extreme care shall be taken by the Contractor to keep the existing water lines, new fittings and water line clean and free of contaminants. The inside surface of valve, pipe, and fittings shall be thoroughly swabbed with or filled with a 75 part per million chlorine solution in accordance with AWWA C651, Section 9 prior to the installation of all fittings.

The 2” HDPE used to connect to the existing 2” steel pipe on Sheet P2 shall be considered incidental.

With proper notification, the City of Walla Walla Water Division will clean out valve boxes and operate any valve requiring closing prior to the need to close the valve. The City of Walla Walla Water Division shall operate all valves during construction.

The contractor shall provide written notification to the Water Division five 5 full working days in advance of a requested shutdown for residential services. The contractor shall distribute notices (supplied by Water Division) to the effected water users 48 hours prior to the shutdown. The Water Division will determine the required shutdown area. Service valves not including main line valves shall be turned by the contractor.

Notice is hereby given that this addendum must be acknowledged on the proposal for the **2016 BLUE STREET IMPROVEMENT PROJECT**, as evidence that the bidder is familiar with all changes incorporated herein.

Submitted by:

Michael Laughery, P.E.
Capitol Programs Engineer

SCHEDULE A - GENERAL

| ITEM NO. | WSDOT SPEC. | ESTIMATED QUANTITY | DESCRIPTION | UNIT PRICE | UNITS | TOTAL AMOUNT |
|----------|-------------|--------------------|-----------------------------------|------------|-------|--------------|
| 1 | 1-09.7 | 1 | Mobilization | | LS | |
| 2 | 1-05.4* | 1 | Roadway Surveying | | LS | |
| 3 | 1-07.15(1) | 1 | SPCC Plan | | LS | |
| 4 | 1-10 | 1 | Project Temporary Traffic Control | | LS | |
| 5 | 1-10 | 212 | Construction Signs, Class A | | S.F | |
| 6 | 8-01 | 8 | ESC Lead | | P.D. | |
| 7 | 8-01 | 278 | Stabilized Construction Entrance | | SY | |
| 8 | 8-01 | 5 | Inlet Protection | | EA | |
| 9 | 8-01 | 1 | Erosion/Water Pollution Control | \$2,000.00 | FA | \$2,000.00 |

| |
|--|
| TOTAL SCHEDULE A (NO SALES TAX ON SCHEDULE A) |
|--|

SCHEDULE B - STREET IMPROVEMENTS

| ITEM NO. | WSDOT SPEC. | ESTIMATED QUANTITY | DESCRIPTION | UNIT PRICE | UNITS | TOTAL AMOUNT |
|----------|-------------|--------------------|--|-------------|-------|--------------|
| 10 | 2-02* | 1 | Removal of Structures and Obstructions | | LS | |
| 11 | 2-02* | 178 | Removal of Cement Conc. Traffic Curb and Gutter | | LF | |
| 12 | 2-02* | 300 | Removal of Cement Concrete Sidewalk and Driveway | | SY | |
| 13 | 2-03* | 1,475 | Roadway Excavation Incl. Haul | | CY | |
| 14 | 2-12* | 2,941 | Construction Geotextile for Separation | | SY | |
| 15 | 4-04 | 1,511 | Crushed Surfacing Base Course | | TON | |
| 16 | 5-04* | 515 | HMA Cl. 1/2" PG 64/28 | | TON | |
| 17 | 5-04 | 1 | Job Mix Compliance Price Adjustment | (\$1.00) | DOL | (\$1.00) |
| 18 | 5-04 | 1 | Compaction Price Adjustment | (\$1.00) | DOL | (\$1.00) |
| 19 | 2-01 | 1 | Clearing and Grubbing | | LS | |
| 20 | 8-02* | 1 | Landscape Restoration | \$10,000.00 | FA | \$10,000.00 |
| 21 | 8-03* | 1 | Irrigation System Restoration | \$2,000.00 | FA | \$2,000.00 |
| 22 | 8-04* | 1,486 | Cement Conc. Traffic Curb and Gutter | | LF | |
| 23 | 8-04* | 64 | Cement Conc. Pedestrian Curb | | LF | |
| 24 | 8-13* | 1 | Monument Case and Cover | | EA | |
| 25 | 8-06* | 269 | Cement Conc. Driveway Entrance | | SY | |
| 26 | 8-14* | 272 | Cement Conc. Sidewalk | | SY | |
| 27 | 8-14* | 40 | Truncated Dome Warning Pad | | SF | |

| | | | | | | |
|----|-----------|---|-------------------|-------------|-------|-------------|
| 28 | 8-21* | 1 | Permanent Signing | | LS | |
| 29 | 1-04.4(1) | 1 | Minor Change | \$10,000.00 | REQ'D | \$10,000.00 |

| | |
|--|--|
| TOTAL SCHEDULE B (NO SALES TAX ON SCHEDULE B) | |
|--|--|

SCHEDULE C - WATER SYSTEM IMPROVEMENTS

| ITEM NO. | WSDOT SPEC. | ESTIMATED QUANTITY | DESCRIPTION | UNIT PRICE | UNITS | TOTAL AMOUNT |
|----------|-------------|--------------------|--|------------|-------|--------------|
| 30 | 7-08* | 2 | Dig and Verify | | EA | |
| 31 | 7-08* | 20 | Remove and Replace Unsuitable Material | | CY | |
| 32 | 7-08* | 2 | Repair Unmarked City Utilities | | EA | |
| 33 | 7-09* | 964 | Ductile Iron Pipe for Water Main 8 In. Diam. | | LF | |
| 34 | 7-09* | 10 | Ductile Iron Pipe for Water Main 6 In. Diam. | | LF | |
| 35 | 7-12* | 4 | Gate Valve 8 In. | | EA | |
| 36 | 7-14 | 1 | Hydrant Assembly | | EA | |
| 37 | 7-14* | 1 | Remove Existing Hydrant | | EA | |
| 38 | 7-15* | 21 | Water Service Connection 1 In. Diam. | | EA | |
| 39 | 7-15* | 583 | Water Service Line 1 In. Diam. | | LF | |
| 40 | 7-15* | 2 | Relocate Existing Meter 3/4 In. Diam | | EA | |
| 41 | 7-15* | 17 | Water Meter, 3/4 In. Diam. | | EA | |
| 42 | 7-15* | 2 | Water Meter, 1 In. Diam. | | EA | |
| 43 | 7-15* | 21 | Sensus 520M Water Meter Radio | | EA | |
| 44 | 1-04.4(1) | 1 | Minor Change | \$5,000.00 | REQ'D | \$5,000.00 |
| 45 | 7-09 | 1 | Blowoff Assembly | | EA | |

| | |
|---|--|
| SUB TOTAL SCHEDULE C | |
| SALES TAX ON SCHEDULE C (@ 8.9%) | |
| TOTAL SCHEDULE C | |

SCHEDULE D - SEWER SYSTEM IMPROVEMENTS

| ITEM NO. | WSDOT SPEC. | ESTIMATED QUANTITY | DESCRIPTION | UNIT PRICE | UNITS | TOTAL AMOUNT |
|----------|-------------|--------------------|--|------------|-------|--------------|
| 46 | 7-05 | 3 | Manhole 48 In. Diam. Type 1 | | EA | |
| 47 | 7-08* | 689 | Shoring and Trench Safety | | LF | |
| 48 | 7-08* | 239 | Remove and Replace Unsuitable Material | | CY | |
| 49 | 7-08* | 2 | Repair Unmarked City Utilities | | EA | |

| | | | | | | |
|----|-----------|-----|-------------------------------------|------------|-------|------------|
| 50 | 7-17* | 1 | Existing Sewer Flow Bypass System | | LS | |
| 51 | 7-17 | 560 | PVC Sanitary Sewer Pipe 8 In. Diam. | | LF | |
| 52 | 7-17* | 129 | PVC Sanitary Sewer Pipe 4 In. Diam. | | LF | |
| 53 | 7-18* | 2 | Sewer Service Line Connection | | EA | |
| 54 | 7-19 | 7 | Sewer Cleanout | | EA | |
| 55 | 1-04.4(1) | 1 | Minor Change | \$8,000.00 | REQ'D | \$8,000.00 |

| |
|--|
| SUB TOTAL SCHEDULE D |
| SALES TAX ON SCHEDULE D(@ 8.9%) |
| TOTAL SCHEDULE D |

SCHEDULE E - STORM SYSTEM IMPROVEMETNS

| ITEM NO. | WSDOT SPEC. | ESTIMATED QUANTITY | DESCRIPTION | UNIT PRICE | UNITS | TOTAL AMOUNT |
|----------|-------------|--------------------|---|------------|-------|--------------|
| 56 | 7-04 | 80 | Solid Wall PVC Storm Pipe, 10 In. Diam. | | LF | |
| 57 | 7-05 | 4 | Catch Basin Type 1 | | EA | |
| 58 | 7-05 | 2 | Remove Existing Catch Basin | | EA | |
| 59 | 7-05 | 2 | Precast Concrete Drywell | | EA | |
| 60 | 7-05* | 2 | Drywell Envelope | | EA | |
| 61 | 7-08* | 80 | Shoring and Trench Safety | | LF | |
| 62 | 7-08* | 25 | Remove and Replace Unsuitable Material | | CY | |
| 63 | 1-04.4(1) | 1 | Minor Change | \$2,000.00 | REQ'D | \$2,000.00 |

| |
|--|
| TOTAL SCHEDULE E (NO SALES TAX ON SCHEDULE E) |
|--|

| |
|--|
| TOTAL OF SCHEDULE A, B, C, D, & E |
|--|